

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

AMENDMENTS TO THE CLAIMS:

Please replace the claims with the claims provided in the listing below wherein status, amendments, additions and cancellations are indicated.

Listing of Claims

1. (Currently Amended) Method for manufacturing a patient-specific implant, comprising
generating a virtual three-dimensional model from image data of at least the patient's implant area and the environment thereof,
comparing the virtual three-dimensional model to real medical reference data,
selecting from the real medical reference data a set of said reference data best suited for the patient and forming a three-dimensional reference model object therefrom, the step of selecting the set of said reference data best suited for the patient and forming a reference model object therefrom comprising
first selecting a plurality of sets of the reference data and forming a corresponding plurality of three-dimensional reference model objects therefrom most resembling the patient considering mathematical, functional, medical and aesthetic parameters, and
then selecting one of said plurality of three-dimensional reference model objects best suited for the patient,

generating a virtual implant model from said selected one of said plurality of three-dimensional reference model objects by superimposing said selected one of said plurality of three-dimensional reference model objects with the virtual three-dimensional model, and

manufacturing the implant by computer numeric control based on data from the virtual implant model.

2. (Previously Presented) Method as claimed in claim 1, wherein the real medical reference data comprise a database.

3. (Canceled)

4. (Previously Presented) Method as claimed in claim 1 or 2, wherein the real medical reference data comprises data from the patient.

5. (Canceled)

6. (Canceled)

7. (New) Method as claimed in claim 1, wherein the virtual implant model is a three-dimensional virtual implant model.

8. (New) Method as claimed in claim 1, wherein the selection of one of said plurality of three-dimensional reference model objects best suited for the patient is made in consideration of an expert medical opinion.

9. (New) Method for manufacturing a patient-specific implant, comprising

generating a virtual three-dimensional model from image data of at least the patient's implant area and the environment thereof,

comparing the virtual three-dimensional model to real medical reference data,

selecting from the real medical reference data a set of said reference data best suited for the patient and forming a three-dimensional reference model object therefrom, the step of selecting the set of said reference data best suited for the patient and forming a reference model object therefrom comprising

first selecting a plurality of three-dimensional reference model objects similar to the virtual three-dimensional model considering mathematical, functional, medical and aesthetic parameters, and

then selecting one of said plurality of three-dimensional reference model objects best suited for the patient,

generating a virtual implant model from said selected one of said plurality of three-dimensional reference model objects by superimposing said selected one of said plurality of three-dimensional reference model objects with the virtual three-dimensional model, and

manufacturing the implant by computer numeric control based on data from the virtual implant model.

10. (New) Method as claimed in claim 9, wherein the real medical reference data comprise a database.

11. (New) Method as claimed in claim 9, wherein the real medical reference data comprises data from the patient.

12. (New) Method as claimed in claim 9, wherein the virtual implant model is a three-dimensional virtual implant model.

13. (New) Method as claimed in claim 9, wherein the selection of one of said plurality of three-dimensional reference model objects best suited for the patient is made in consideration of an expert medical opinion.